### Appendix I

# RCRA Part A Permit Application (EPA Form 8700-23)

NOTE: EPA Form 8700-23 was re-approved by the Office of Management and Budget (OMB) on October 1, 1996 with a new expiration date of October 31, 1999. In States with RCRA base authorization, it may be superceded by an equivalent State form. In any event, DOE personnel responsible for RCRA permitting should contact the responsible regulatory agency (i.e., EPA or the designated State agency) for an official version of the Part A Permit Application form.

Please print or type with ELITE type (12 characters per inch) in the unshaded areas only

For EPA Regional
Use Only

For Approved, OMB No. 2050-0034 Expires 9-30-96
GSA No. 0248-EPA-OT

For EPA Regional Use Only		EF	PA										
	United S	United States Environmental Protection Agency Washington, DC 20460											
	l Ha:	Hazardous Waste Permit											
Date Received	Application												
Month Day Year	1	Par											
		ad the Instruction	ns before startir	ng)		***			6000-0000 occasion				
I. Installation's EPA ID Nu	mber <i>(Mark 'X' in the appropri</i>	ate box)											
A. First Part A Sul	bmission		B. Par	t A Amen	dment#								
C. Installation's EPA ID N	umber	D. Secondar	y ID Number <i>(li</i>	applicab	le)			•					
									· · · · · · · · · · · · · · · · · · ·				
II. Name of Facility													
				***************************************		00000000000000000000000000000000000000							
III. Facility Location (Phys	sical address not P.O. Box or F	Route Number)											
A. Street							····						
								<del> </del>					
Street (Continued)													
<del></del>													
City or Town				State	Zip Co	de							
County Code		<del></del>											
County Code County N	ame												
B. Land Type C. Geog	raphic Location					D Facilit	y Existence	Date					
	DE (Degrees, Minutes, & Second	s) LONGITUDE	(Degrees, Minu	tes & Sec	onds)	Month	Day	Year	,				
IV. Facility Mailing Addre	SS												
Street or P.O. Box													
City or Town				State	Zip Co	de							
V. Facility Contact (Perso	on to be contacted regarding w	vaste activities	at facility)										
Name (Last)		·	(First)						·				
							, , <u>, , , , , , , , , , , , , , , , , ,</u>						
Job Title			Phone Numb	er (Area (	Code and	Number)		7					
VI. Facility Contact Address E	ess (See instructions)  3. Street or P.O. Box												
Location Mailing Other	5. Succet of P.O. BOX		<u> </u>				, <u>-</u>						
						<u> </u>							
City or Town				State	Zip Co	de							
l					Ī								

Form Approved, OMB No. 2050-0034 Expires 9-30-96 Please print or type with ELITE type (12 characters per inch) in the unshaded areas only GSA No. 0248-EPA-01 EPA I.D. Number (Enter from page 1) Secondary ID Number (Enter from page 1) VII. Operator Information (See instructions) Name of Operator Street or P.O. Box City or Town State **ZIP Code** B. Operator Type C. Change of Operator Date Changed Phone Number (Area Code and Number) Indicator Month Day Year No VIII. Facility Owner (See Instructions) A. Name of Facility's Legal Owner Street or P.O. Box City or Town State **ZIP Code** B. Owner Type C. Change of Owner Date Changed Phone Number (Area Code and Number) Indicator Month Year Day Yes No IX. SIC Codes (4-digit, in order of significance) **Primary** Secondary (Description) (Description) Secondary Secondary (Description) (Description) X. Other Environmental Permits (See instructions) A. Permit Type (Enter code) **B. Permit Number** C. Description

EPA I.D. Number	(Enter from page 1)	

Secondary ID Number (Enter from page 1)

#### XI. Nature of Business (Provide a brief description)

#### XII. Process Codes and Design Capacities

- A. PROCESS CODE Enter the code from the list of process codes below that best describes each process to be used at the facility. Thirteen lines are provided for entering codes. If more lines are needed, attach a separate sheet of paper with the additional information. For "other" processes (i.e., D99, S99, T04 and X99), describe the process (including its design capacity) in the space provided in item XIII.
- B. PROCESS DESIGN CAPACITY For each code entered in column A, enter the capacity of the process.
  - 1. AMOUNT Enter the amount. In a case where design capacity is not applicable (such as in a closure/post-closure or enforcement action) enter the total amount of waste for that process.
  - 2. UNIT OF MEASURE For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.

C. PROCESS TOTAL NUMBER OF UNITS - Enter the total number of units used with the corresponding process code.

PRO-	CESS E PROCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY	PROC		APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
D82 D83 D99 S01 S02 S03 S04 S05 S06 S99 T01 T02 T03 T04	Landfill Land Treatment Ocean Disposal Surface Impoundment Other Disposal Storage: Container (Barrel, Drum, Etc.) Tank Waste Pile Surface Impoundment Drip Pad Containment Building-Storage Other Storage Treatment: Tank Surface Impoundment Incinerator  Other Treatment	Gallons; Liters; Gallons Per Day; or Liters Per Day Acre-feet or Hectare-meter Acres or Hectares Gallons Per Day r Liters Per Day Gallons or Liters Any Unit of Measure Listed Below Gallons or Liters Gallons or Liters Cubic Yards or Cubic Meters Gallons or Liters Cubic Yards or Cubic Meters Gallons or Liters Cubic Yards or Cubic Meters Any Unit of Measure Listed Below Gallons Per Day or Liters Per Day Gallons Per Day or Liters Per Day Short Tons Per Hour; Metric Tons Per Hour; Gallons Per Hour; Liters Per Hour; or Btu's Per Hour Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Gallons or Liters Gallons Per Day; Liters Per Day;	T87 T88 T89 T90 T91 T92 T93 T94 X01 X02	Smelting, Melting, Or Refining Furnace Titanium Dioxide Chloride Process Oxidation Reactor Methane Reforming Furnace Pulping Liquor Recovery Furnace Combustion Device Used in The Recovery Of Sulfur Values From Spent Sulfuric Acid Halogen Acid Furnaces Other Industrial Furnaces Listed in 40 CFR §260.10 Containment Building-Treatment Miscellaneous (Subpart Open Burning/Open Detonation Mechanical Processing	Any Unit of Measure Listed Below Short Tons Per Hour; Metric Tons Per Hour; Short Tons Per Day; Metric Tons Per Day; Pounds Per Hour; or Kilograms Per Hour Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short
T82 T83 T84	Lime Kiln Aggregate Kiln Phosphate Kiln	Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per	X04	Geologic Repository	Tons Per Day; or Btu's Per Hour Cubic Yards or Cubic Meters
T85 T86	Coke Oven Blast Furnace	Hour; Short Tons Per Day; or Btu's Per Hour	X99	Other Subpart X	Any Unit of Measure Listed Below

UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE
Gallons	E U L	Short Tons Per Ho Metric Tons Per Ho Short Tons Per Day Metric Tons Per Day Pounds Per Hour . Kilograms Per Hou	our W y N ny S J	Cubic Yards	

EP	A I.D.	Num	ber (	Enter	from page 1)		Secondary ID	Number <i>(Ent</i>	er fro	m pa	ige 1)			
_							200000000000000000000000000000000000000			1000000000				
XII.					Design Capabilities (Continued)									
	E) ga	(AMF	PLE F	OR C	COMPLETING ITEM XII (Shown in line number	X-1 below): A	facility has a sto	rage tank, wh	ich d	an h	old 5	33.78	8	
Lit			roce	ss	B. PROCESS DESIGN CA	PACITY		C. Process			or Off			
NUIT	ber		Code list ab	ove)	1. Amount (Specify	)	2. Unit Of Measure (Enter code)	Total Number Of Units		ι	ise O	nly		
X	1	s	0	2	5	33.788	G	0 0 1						
	1					•								
	2					•								
	3													
	4					•								
	5					•								
	6					•								
	7					•								
	8					•			i					
	9					•								
1	0					•								
1	1												_	
1	2					•			l					
1	3													
	ab	07E: 1 ove. 1 d X99	Vumt	er th	l to list more than 13 process codes, attach an e lines sequentially, taking into account any li (III.	additional she nes that will be	et(s) with the in used for "other	formation in t r" processes (	the sa (i.e., l	ame : D99,	forma S99, 1	t as T04		
XII	l. Oth	er Pr	oces	ses (	Follow instructions from item XII for D99, S99,	T04 and X99 p	rocess codes)							
	ne		Proc		B. PROCESS DESIGN CAPACITY		C. Process	D. De	scrip	tion	Of Pr	oces	s	
(Ente	nber r#s in w/XII)		Code n list al		1. Amount (Specify)	2. Unit Of Measure (Enter code)	Total Number Of Units							
X	1	7	0	4				In-s	situ V	itrific	cation	1		
ļ <u>.</u> .	1													
	2		[					<del></del>			,			
	<u> </u>		<u>!</u>	l		<u> </u>								
	3													
		r	г											
	4	<u> </u>												
							1							

EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
XIV. Description of Hazardous Wastes	

- A. EPA HAZARDOUS WASTE NUMBER Enter the four-digit number from 40 CFR, Part 261 Subpart D of each listed hazardous waste you will handle. For hazardous wastes which are not listed in 40 CFR, Part 261 Subpart D, enter the four-digit number(s) from 40 CFR, Part 261 Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	Р	KILOGRAMS	К
TONS	Τ	METRIC TONS	М

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

#### D. PROCESSES

#### 1. PROCESS CODES:

For listed hazardous waste: For each listed hazardous waste entered in column A select the code(s) from the list of process codes contained in item XII A. on page 3 to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous waste: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in item XII A. on page 3 to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

NOTE: THREE SPACES ARE PROVIDED FOR ENTERING PROCESS CODES. IF MORE ARE NEEDED:

- 1. Enter the first two as described above.
- Enter "000" in the extreme right box of item XIV-D(1).
- 3. Enter in the space provided on page 7, Item XIV-E, the line number and the additional code(s).
- 2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form (D.(2)).

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns
  B, C and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat,
  store, and/or dispose of the waste.
- 2. In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING ITEM XIV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

					PA		B. ESTIMATED									D	. PRO	OCESS
	ine nber		WA.	ST	IRD E NO code	<b>)</b> .	ANNUAL QUANTITY OF WASTE	MEASURE (Enter code)	(1	(1) PROCESS CODES (Enter code)				ter c	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))			
X	1	K	0	1	5	4	900	P	T	0	3	D	8	0				
X	2	D	0	,	0	2	400	P	T	0	3	D	8	0				
X	3	D	0	,	0	1	100	P	T	0	3	D	8	0				
X	4	D	0	,	0	2												Included With Above

EP#	\ I.D. I	Num	ber (	Ente	er fre	om page 1)		Secondary ID Number (Enter from page 1)												
XIV.	Desc	ripti	on o	f Ha	zard	lous Wastes (Con	tinued)													
Lii		F	A. E			B. ESTIMATED ANNUAL QUANTITY OF	C. UNIT OF MEASURE	D. PROCESSES  (1) PROCESS CODES (Enter code) (2) PROCESS DESCRIPTION												
Nun				code		WASTE	(Enter code)	(1)	PRO	ICES	S CC	)UES	. (En	ter c	oae)	(If a code is not entered in D(1))				
	1																			
	2						· · · · · · · · · · · · · · · · · · ·													
	3																			
	4																			
	5																			
	6																			
	7																			
	8																			
	9																			
1	0							_												
1	1		_							]	_					_				
1	2		_																	
1	3																			
1	4											_								
1	5																			
1	6							_		_										
1	7			_				ļ			_									
1	8							_		_						_				
1	9	_						<u> </u>			_			-		_				
2	0							_												
2	1							<u> </u>												
2	2							_												
2	3	_						1_												
2	4	_						1_												
2	5	_						<b> </b>												
2	6	_						<u> </u>												
2	7		_					-												
2	8							_						_						
2	9							<del> </del>												
3	0	-		_				-	-				_							
3	1	├-	_					╀	_					_						
3	2	1	_					}_	<u> </u>	_		<u> </u>	<u> </u>	_						
3	3	1				1	<b>,</b>	1	}	}	l		1	1						


XIX. Comments

Note: Mail completed form to the appropriate EPA Regional or State Office. (Refer to instructions for more information)

## **Appendix II**

# EPA Headquarters' RCRA Part B Permit Application Completeness Review Checklist

**NOTE:** EPA plans to have an updated version of this Checklist available by Spring 1997.



Facility Name	
ID No	
Date Part B Received _	
Date Review Due	

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
A. PAR	Γ A APPLICATION					
B. FACI	ILITY DESCRIPTION					
B-1	General description					
B-2	Topographic map					
B-2a	General requirements				<del></del>	
B-2b	Additional requirements for land disposal facilities					
B-3	Location information				<del></del>	
B-3a	Seismic standard				<del></del>	
B-3b	Floodplain standard					
B-3b(1)	Demonstration of compliance				<del></del>	
B-3b(1)(a)	Flood proofing and flood protection measures; or					
B-3b(1)(b)	Flood plan					
B-3b(2)	Plan for future compliance with flood plain standard					
B-3b(3)	Waiver for Land Storage and Disposal Facilities					
B-4	Traffic information					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
C.	WASTE CHARACTERISTICS					
C-1	Chemical and physical analyses					
C-1a	Containerized wastes					
C-1b	Waste in tank-systems					
C-1c	Waste in piles					
C-1d	Landfilled wastes					
C-1e	Wastes incinerated <u>and</u> wastes used in performance tests					
C-1f	Wastes to be land treated					
C-1g	Wastes in miscellaneous treatment units					,
C-2	Waste analysis plan					
C-2a	Parameters and rationale					
C-2b	Test methods					
C-2c	Sampling methods					
C-2d	Frequency of analyses					
C-2e	Additional requirements for wastes generated off-site					
C-2f	Additional requirements for ignitable, reactive or incompatible wastes					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
C-3	Waste analysis requirements pertaining to land disposal restrictions					
C-3a	Waste characterization					
C-3a(1)	Waste characteristics: solvent wastes and dioxin containing wastes					
C-3a(2)	Waste characteristics: California list wastes					
C-3a(3)	Waste characteristics: First third wastes with treatment standards					
C-3a(4)	Waste characteristics: second third wastes with treatment standards					
C-3a(5)	Waste characteristics: Soft hammer wastes					
C-3a(5)(a)	Soft hammer wastes: California list wastes with treatment standards					
C-3a(5)(b)	Soft hammer wastes: California list wastes without treatment standards					
C-3b	Notification and certification requirements					
C-3b(1)	Retention of generator notices and certification					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
C-3b(2)	Notification and certification for wastes to be further managed					
C-3b(3)	Notification and certification for soft hammer wastes not subject to Califor- nia list prohibitions					
C-3b(4)	Additional notification and certification requirements for treatment facilities					
C-3b(4)(a)	Wastes with treatment standards expressed as concentrations					
C-3b(4)(b)	Wastes with treatment standards expressed as technologies					
C-3b(4)(c)	California list wastes not subject to treatment standards					
C-3b(4)(d)	Recyclable materials used in a manner constituting disposal					
C-3b(5)	Additional notification and certification requirements for disposal facilities					
C-3b(6)	Notification and certification requirements pertaining to landfill and surface impoundment disposal restrictions					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
C-3b(6)(a)	Requirements for treatment storage, and recovery facilities					
C-3b(6)(b)	Requirements for treatment and recovery facilities					
C-3b(6)(c)	Requirements for disposal facilities					
C-3c	Additional requirements pertaining to storage of restricted wastes					
C-3c(1)	Restricted wastes stored in containers			<del></del>		
C-3c(2)	Restricted wastes stored in tanks					
C-3c(3)	Storage of liquid PCB wastes					
C-3d	Additional requirements for treatment facilities					
C-3d(1)	Wastes with treatment standards expressed as concentrations in the waste					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
C-3d(2)	Wastes with treatment standards expressed as concentrations in the waste extract					
C-3d(3)	California list wastes not subject to treatment standards					
C-3e	Additional requirements for land disposal facilities					
C-3f	Exemptions from and extensions to land disposal restrictions					
C-3f(1)	Case-by-case extensions to an effective date					
C-3f(2)	Exemption from a treatment					
C-3f(3)	Variance from a treatment standard		<del></del> -	- <del></del>	<del></del>	
C-3f(4)	Additional requirements for surface impoundments exempted from land disposal restrictions					
C-3f(4)(a)	Treatment of wastes					
C-3f(4)(b)	Sampling and testing					
C-3f(4)(c)	Annual removal of residues					
C-3f(4)(d)	Design requirements					
C-3g	Requirements for land disposal facilities with an approved exemption or extension					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D. PRO	CESS INFORMATION					
D-1	Containers					
D-1a	Containers with free liquids					
D-1a(1)	Description of container					
D-1a(2)	Container management practices					
D-1a(3)	Secondary containment system design and operation					
D-1a(3)(a)	Requirement for the base or liner to contain liquids					
D-1a(3)(b)	Containment system drainage					
D-1a(3)(c)	Containment system capacity					
D-1a(3)(d)	Control of run-on					
D-1a(3)(e)	Removal of liquids from containment systems					
D-1b	Containers without free liquid					
D-1b(1)	Test for free liquids					
D-1b(2)	Description of containers					
D-1b(3)	Container management practices					
D-1b(4)	Container storage area drainage					
D-2	Tank systems					
D-2a	Tank systems descriptions					
D-2a(1)	Dimensions and capacity					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-2a(2)	Description of feed systems, safety cutoff, bypass systems, and pressure controls					
D-2a(3)	Diagram of piping, instrumentation and process-flow					
D-2a(4)	Ignitable, reactive and incompatible waste					
D-2b	Existing tank system					
D-2b(1)	Assessment of existing tank systems integrity					
D-2c	New tank systems			·		
D-2c(1)	Assessment of new tank system integrity					
D-2c(2)	Description of tank system installation and testing plans and procedures					
D-2d	Containment and detection of releases					,
D-2d(1)	Plans and description of the design, construction, and operation of the secondary container system					
D-2d(1)(a)	Tank age determination					
D-2d(1)(b)	Requirements for secondary containment and leak detection					
D-2d(1)(c)	Requirements for an external liner vault, double-walled tank or equivalent device					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-2d(1)(d)	Secondary containment and leak detection requirements for ancillary equipment					
D-2d(2)	Requirements for tank systems until secondary containment is implemented					
D-2d(3)	Variance from secondary containment requirements					
D-2d(3)(a)	Variance based on a demonstration of equivalent protection of groundwater and surface water					
D-2d(3)(b)	Variance based on a demonstration of no substantial present or potential hazard					
D-2d(3)(c)	Exemption based on no free liquids and location inside a building					
D-2e	Controls and practices to prevent spills and overflow					
D-3	Waste piles		<del></del>			
D-3a	List of wastes		= <del></del>		- <del></del>	
D-3b	Liner exemption					
D-3b(1)	Enclosed dry piles					
D-3b(1)(a)	Protection from precipitation	- <u></u>	<del></del>			
D-3b(1)(b)	Free liquids	- <u></u>	<del></del>			
D-3b(1)(c)	Run-on protection	<del></del>		<del></del>		

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-3c(1)(d)	Wind dispersal control					
D-3c(1)(e)	Leachate generation					
D-3b(2)	Alternate design/no migration					
D-3c	Liner engineering report					
D-3c(1)	Liner description					
D-3c(2)	Liner location relative to high water table					
D-3c(3)	Calculation of required soil liner thickness					
D-3c(4)	Liner strength requirements		<del></del>			
D-3c(5)	Liner strength demonstration		<del></del>			
D-3c(6)	Liner/waste compatibility testing results					
D-3c(7)	Liner installation					
D-3c(7)(a)	Synthetic liner seaming		<del></del>			
D-3c(7)(b)	Soil liner compaction		<del></del>			
D-3c(7)(c)	Installation inspection/testing programs					
D-3c(8)	Liner coverage		<del></del>			
D-3c(9)	Liner exposure prevention		<del></del>			
D-3c(10)	Synthetic-liner bedding		<del></del>	- <del></del>		
D-3d	Liner foundation report		<del></del>	- <del></del>		
D-3d(1)	Liner foundation design description					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-3d(2)	Subsurface exploration data					
D-3d(3)	Laboratory testing data					
D-3d(4)	Engineering analyses					
D-3d(4)(a)	Settlement potential					
D-3d(4)(b)	Bearing capacity and stability					
D-3d(4)(c)	Potential for bottom heave or blow- out					
D-3d(4)(d)	Construction and operational loadings					
D-3d(5)	Foundation installation procedures					
D-3d(6)	Foundation installation inspection program					
D-3e	Leachate collection and removal system					
D-3e(1)	System design and operation					
D-3e(2)	Chemical resistance					
D-3e(3)	Strength of materials					
D-3e(4)	Prevention of clogging					
D-3e(5)	Installation					
D-3e(6)	Maintenance					
D-3f	Run-on control system					
D-3f(1)	Calculation of peak flow					·
D-3f(2)	Design and performance					
D-3f(3)	Construction					

	Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
Maintenance					
Run-off control system					
Calculation of peak flow					
Design and performance					
Construction					
Maintenance					
Management of collection and holding units					
Control of wind dispersal					
Engineered structure					
No liquid waste					
Exclusion of liquids					
Containment system					
Leak detection system			·		
Operation of leak detection system			·		
No migration					
Treatment within the pile					
Treatment process description			<del></del>		
Equipment used			<del></del>		
Residuals description					
	Run-off control system Calculation of peak flow Design and performance Construction Maintenance Management of collection and holding units Control of wind dispersal Engineered structure No liquid waste Exclusion of liquids Containment system Leak detection system Operation of leak detection system No migration Treatment within the pile Treatment process description Equipment used	Maintenance Run-off control system Calculation of peak flow Design and performance Construction Maintenance Management of collection and holding units Control of wind dispersal Engineered structure No liquid waste Exclusion of liquids Containment system Leak detection system Operation of leak detection system No migration Treatment within the pile Treatment process description Equipment used  (Y/N)  Maintenance  (Y/N)  Maintenance  (Y/N)  Maintenance  (Y/N)	Complete (Y/N)  Maintenance  Run-off control system  Calculation of peak flow  Design and performance  Construction  Maintenance  Management of collection and holding units  Control of wind dispersal  Engineered structure  No liquid waste  Exclusion of liquids  Containment system  Leak detection system  Operation of leak detection system  No migration  Treatment within the pile  Treatment process description  Equipment used	Complete (Y/N)       Adequate (Y/N)       Attached Comment         Maintenance	Complete (Y/N) Adequate (Y/N) Attached Comment Exhibit  Maintenance  Run-off control system  Calculation of peak flow  Design and performance  Construction  Maintenance  Management of collection and holding units  Control of wind dispersal  Engineered structure  No liquid waste  Exclusion of liquids  Containment system  Leak detection system  Operation of leak detection system  No migration  Treatment within the pile  Treatment process description  Equipment used  Attached Comment Attached Comment Exhibit  Exhibit  Exhibit  Exhibit  Attached Comment Exhibit  Ex

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-31	Special management plan for piles containing wastes F020, F021, F022, F023, F026, and F027					
D-3l(1)	Waste description					
D-31(2)	Soil description					
D-3l(3)	Mobilizing properties					
D-31(4)	Additional management techniques					
D-4	Surface impoundments					
D-4a	List of wastes	<del></del>	<del></del>			
D-4b	Liner system exemption requests		<del></del>			
D-4b(1)	Exemption based on existing portion					
D-4b(2)	Exemption based on alternative design and location					
D-4c	Liner system, general items					
D-4c(1)	Liner system description					
D-4c(2)	Liner system location relative to high water table					
D-4c(3)	Loads on liner system	<del></del>	<del></del>	<del></del>		
D-4c(4)	Liner system coverage					
D-4c(5)	Liner system exposure prevention					
D-4d	Liner system foundation		<del></del>	<del></del>		
D-4d(1)	Foundation description					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-4d(2)	Subsurface exploration data					
D-4d(3)	Laboratory testing data					
D-4d(4)	Engineering analyses					
D-4d(4)(a)	Settlement potential					
D-4d(4)(b)	Bearing capacity					
D-4d(4)(c)	Potential for excess hydrostatic or gas pressure					
D-4e	Liner systems, liners					
D-4e(1)	Synthetic liners					
D-4e(1)(a)	Synthetic liner compatibility data					
D-4e(1)(b)	Synthetic liner strength					
D-4e(1)(c)	Synthetic liner bedding					
D-4e(2)	Soil liners					
D-4e(2)(a)	Material testing data					
D-4e(2)(b)	Soil liner compatibility data					
D-4e(2)(c)	Soil liner thickness	<del></del>	<del></del>			
D-4e(2)(d)	Soil liner strength	<del></del>	<del></del>			
D-4f	Liner system, leachate detection system					
D-4f(1)	System operation and design					
D-4f(2)	Equivalent capacity					
D-4f(3)	Grading and drainage					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-4f(4)	System compatibility					
D-4f(5)	System strength					
D-4f(5)(a)	Stability of drainage layers					
D-4f(5)(b)	Strength of piping					
D-4f(6)	Prevention of clogging					
D-4g	Liner system, construction and maintenance					
D-4g(1)	Material specifications					
D-4g(1)(a)	Synthetic liners					
D-4g(1)(b)	Soil liners					
D-4g(1)(c)	Leachate detection system					
D-4g(2)	Construction specifications					
D-4g(2)(a)	Liner system foundation					
D-4g(2)(b)	Soil liner					
D-4g(2)(c)	Synthetic liners					
D-4g(2)(d)	Leachate detection system					
D-4g(3)	Construction quality control program					
D-4g(4)	Maintenance procedures for leachate detection system					
D-4g(5)	Liners repairs during operations					
D-4h	Prevention of overtopping		- <u></u>			
D-4h(1)	Design features					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-4h(2)	Operating procedures					
D-4h(3)	Overtopping preventions					
D-4h(4)	Freeboard requirements					
D-4h(5)	Outflow destination					
D-4i	Dike stability					
D-4i(1)	Engineer's certification					
D-4i(2)	Dike design description					
D-4i(3)	Erosion and piping protection					
D-4i(4)	Subsurface soil conditions					
D-4i(5)	Stability analysis					
D-4i(6)	Strength and compressibility test results					
D-4i(7)	Dike construction procedures					
D-4i(8)	Dike construction inspection program					
D-4j	Special waste management plan for surface impoundments containing wastes F020, F021, F022, F023, F026, and F027					
D-4j(1)	Waste description					
D-4j(2)	Soil description					
D-4j(3)	Mobilizing properties					
D-4j(4)	Additional management techniques					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-5	Incinerators					
D-5a	Justification for exemption					
D-5b	Trial burn					
D-5b(1)	New incinerator start-up/shakedown conditions (reserved)					
D-5b(2)	Trial burn plan					
D-5b(2)(a)	Engineering description of incinerator					
D-5b(2)(b)	Sampling, analysis and monitoring procedures including QA/ QC plan					
D-5b(2)(c)	Trial burn schedule			·		
D-5b(2)(d)	Test protocols					
D-5b(2)(e)	Pollution control equipment operation					
D-5b(2)(f)	Shutdown procedures			·		
D-5b(2)(g)	New incinerator post-trial burn operation (reserved)					
D-5c	Data in lieu of trial burn			·		
D-5c(1)	Engineering description of incinerator					
D-5c(2)	Expected incinerator operation			- <del></del>		
D-5c(3)	Design and operating condition comparisons					
D-5c(4)	Results of previous trial burns					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-5c(4)(a)	Sampling and analysis techniques					
D-5c(4)(b)	Methods and results					
D-5d	Determinations					
D-6	Landfills					
D-6a	List of wastes					
D-6b	Liner system exemption requests					
D-6b(1)	Exemption based on existing portion					
D-6b(2)	Exemption based on alternative design and location					
D-6b(3)	Exemption for monofills					
D-6b(4)	Groundwater monitoring exemption					
D-6b(4)(a)	Engineered structure					
D-6b(4)(b)	No liquid waste					
D-6b(4)(c)	Exclusion of liquids					
D-6b(4)(d)	Containment system					
D-6b(4)(e)	Leak detection system					
D-6b(4)(f)	Operation of leak detection system					
D-6b(4)(g)	No migration					
D-6c	Liner system, general items					
D-6c(1)	Liner system description					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-6c(2)	Liner system location relative to high water table					
D-6c(3)	Loads on liner system					
D-6c(4)	Liner system coverage					
D-6c(5)	Liner system exposure prevention					
D-6d	Liner system, foundation					
D-6d(1)	Foundation description					
D-6d(2)	Subsurface exploration data					
D-6d(3)	Laboratory testing data					
D-6d(4)	Engineering analysis					
D-6d(4)(a)	Settlement potential					
D-6d(4)(b)	Bearing capacity					
D-6d(4)(c)	Stability of landfill slopes					
D-6d(4)(d)	Potential for excess hydrostatic or gas pressure					
D-6e	Liner system, liners					
D-6e(1)	Synthetic liners					
D-6e(1)(a)	Synthetic liner compatibility data					
D-6e(1)(b)	Synthetic liner strength					
D-6e(1)(c)	Synthetic liner bedding					
D-6e(2)	Soil liners		- <u></u> -			
D-6e(2)(a)	Material testing data					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-6e(2)(b)	Soil liner compatibility data					
D-6e(2)(c)	Soil liner thickness					
D-6e(2)(d)	Soil liner strength					
D-6f	Liner system, leachate collection/ detection systems					
D-6f(1)	System operation and design					
D-6f(2)	Equivalent capacity					
D-6f(3)	Grading and drainage					
D-6f(4)	Maximum leachate head					
D-6f(5)	System compatibility					
D-6f(6)	System strength					
D-6f(6)(a)	Stability of drainage layers					
D-6f(6)(b)	Strength of piping					
D-6f(7)	Prevention of clogging					
D-6g	Liner system, construction and maintenance					
D-6g(1)	Material specifications					
D-6g(1)(a)	Synthetic liners					
D-6g(1)(b)	Soil liners					
D-6g(1)(c)	Leachate collection/detection systems					
D-6g(2)	Construction specifications					
D-6g(2)(a)	Liner system foundation					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-6g(2)(b)	Soil liner					
D-6g(2)(c)	Synthetic liners					
D-6g(2)(d)	Leachate collection/detection systems					
D-6g(3)	Construction quality control program					
D-6g(4)	Maintenance procedures for leachate collection/detection system					
D-6g(5)	Liner repairs during operation				<del></del>	
D-6h	Run-on and run-off control systems					
D-6h(1)	Run-on control system	<del></del>			<del></del>	
D-6h(1)(a)	Design and performance					
D-6h(1)(b)	Calculation of peak flow					
D-6h(2)	Runoff control system					
D-6h(2)(a)	Design and performance					
D-6h(2)(b)	Calculation of peak flow					
D-6h(3)	Management of collection and holding units					
D-6h(4)	Construction		- <u></u> -		<del></del>	
D-6h(5)	Maintenance					
D-6i	Control of wind dispersal					
D-6j	Liquids in landfills					
D-6j(1)	Bulk or noncontainerized free liquids					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-6j(2)	Containers holding free liquids					
D-6j(3)	Restriction to small containers					
D-6j(4)	Nonstorage containers					
D-6j(5)	Labpacks					
D-6j(5)(a)	Inside containers					
D-6j(5)(b)	Overpack					
D-6j(5)(c)	Absorbent material					
D-6j(5)(d)	Incompatible wastes					
D-6j(5)(e)	Reactive wastes					
D-6k	Containerized wastes					
D-6l	Special waste management plan for landfills containing F020, F021 F022, F023, F026, and F027					
D-6l(1)	Waste description					
D-6l(2)	Soil description					
D-6l(3)	Mobilizing properties					
D-6l(4)	Additional management techniques		<del></del>			
D-7	Land treatment			<del></del>		
D-7a	Treatment demonstration					
D-7a(1)	Demonstration wastes			- <del></del>		

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-7a(2)	Demonstration data sources					
D-7a(2)(a)	Existing literature					
D-7a(2)(b)	Operating data					
D-7a(3)	Laboratory/field testing programs					
D-7a(3)(a)	Toxicity testing					
D-7a(3)(b)	Field plot testing					
D-7a(3)(c)	Laboratory Testing					
D-7b	Land treatment program					
D-7b(1)	List of wastes					
D-7b(2)	Operating procedures					
D-7b(2)(a)	Waste application rates					
D-7b(2)(b)	Waste application methods					
D-7b(2)(c)	Control of soil pH					
D-7b(2)(d)	Enhancement of microbial or chemical reactions					
D-7b(2)(e)	Control of soil moisture		<del></del>			
D-7c	Unsaturated zone monitoring plan		<del></del>			
D-7c(1)	Soil-pore liquid monitoring					
D-7c(1)(a)	Sampling location		<del></del>			
D-7c(1)(b)	Sampling frequency					
D-7c(1)(c)	Sampling equipment					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-7c(1)(d)	Sampling equipment installation					
D-7c(1)(e)	Sampling procedures					
D-7c(1)(f)	Analytical procedures					
D-7c(1)(g)	Chain of custody					
D-7c(1)(h)	Background values					
D-7c(1)(I)	Statistical methods					
D-7c(1)(j)	Justification of Principle Hazardous Constituents					
D-7c(2)	Soil core monitoring		<del></del>			
D-7c(2)(a)	Sampling location					
D-7c(2)(b)	Sampling frequency		<del></del>			
D-7c(2)(c)	Sampling equipment		<del></del>			
D-7c(2)(d)	Sampling procedures		<del></del>			
D-7c(2)(e)	Analytical procedures		<del></del>			
D-7c(2)(f)	Chain-of-custody		<del></del>			
D-7c(2)(g)	Background values		<del></del>			
D-7c(2)(h)	Statistical methods		<del></del>			
D-7c(2)(I)	Justification of Principle Hazardous Constituents					
D-7d	Treatment zone description		- <del></del>			
D-7d(1)	Horizontal and vertical dimensions					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-7d(2)	Soil survey					
D-7d(3)	Soil series descriptions					
D-7d(4)	Soil sampling data					
D-7d(5)	Seasonal high water table					
D-7e	Unit design, construction, operation, and maintenance					
D-7e(1)	Run-on control					
D-7e(2)	Run-off control					
D-7e(3)	Minimizing hazardous constituent run-off					
D-7e(4)	Management of accumulated run-on and run-off					
D-7e(5)	Control of wind dispersal		<del></del>			
D-7f	Food chain crops					
D-7f(1)	Food chain crop demonstration					
D-7f(1)(a)	Demonstration basis					
D-7f(1)(b)	Test procedures					
D-7f(2)	Cadmium-bearing wastes					
D-7f(2)(a)	Crops for human consumption					
D-7f(2)(b)	Animal feed					
D-7g	Waste management plan for land treatment units containing wastes F020, F021, F022, F023, F026, and F027					
D-7g(1)	Waste description					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-7g(2)	Soil description					
D-7g(3)	Mobilizing properties					
D-7g(4)	Additional management techniques					
D-7h	Incompatible wastes					
D-8	Miscellaneous waits					
D-8a	Description of miscellaneous units					
D-8b	Waste characterization					
D-8c	Treatment effectiveness					
D-8d	Environmental performance standards for miscellaneous units					
D-8d(1)	Protection of groundwater and subsurface environment					
D-8d(1)(a)	Environmental assessment					
D-8d(1)(b)	Performance standards					
D-8d(2)	Protection of surface water, wetlands, and soil surface					
D-8d(2)(a)	Environmental assessment	- <u></u> -	<del></del>			
D-8d(2)(b)	Performance standards		<del></del>			
D-8d(3)	Protection of the atmosphere		- <u></u>			
D-8d(3)(a)	Environmental assessment					
D-8d(3)(b)	Performance standards					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
D-8e	Monitoring, analysis inspection, response reporting, and corrective action					
D-8e(1)	Elements of a monitoring program					
D-8e(2)	Air monitoring alternatives					,

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
E.	GROUNDWATER MONITORING					
E-1	Exemption from groundwater protection requirements					
E-1a	Waste piles					
E-1b	Landfill					
E-1c	No migration					
E-2	Interim status groundwater monitoring data					
E-2a	Description of wells					
E-2b	Description of sampling/analysis procedures					
E-2c	Monitoring data					
E-2d	Statistical procedures					
E-2e	Groundwater assessment plan					
E-3	General hydrogeologic information					
E-4	Topographic map requirements					
E-5	Contaminant plume description					
E-6	General monitoring program requirements					
E-6a	Description of wells					
E-6b	Description of sampling analysis procedures					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
E-6c	Procedures for establishing background quality					
E-6d	Statistical procedures					
E-6d(1)	Parametric analysis of variance (ANOVA)					
E-6d(2)	Non-parametric ANOVA (based on ranks)					
E-6d(3)	Tolerance or prediction interval procedure					
E-6d(4)	Control chart approach			<del></del>		
E-6d(5)	Alternative approach				<del></del>	
E-7	Detection monitoring program				<del></del>	
E-7a	Indicator parameters, waste constituents, reaction products to be monitored					
E-7b	Groundwater monitoring program					
E-7c	Background groundwater concentration values for proposed parameters					
E-7d	Proposed sampling and analysis procedures					
E-7e	Statistically significant increase in any constituent or parameter identified at any compliance point monitoring well					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
E-8	Compliance monitoring program					
E-8a	Description of the monitoring program					
E-8a(1)	Waste description					
E-8a(2)	Characterization of contaminated groundwater					
E-8a(3)	Hazardous constituents to be monitored in compliance program					
E-8a(4)	Concentration limits					
E-8a(5)	Alternate concentration limits					
E-8a(5)(I)	Adverse effects on groundwater quality					
E-8a(5)(ii)	Potential adverse effects					
E-8a(6)	Engineering report describing groundwater monitoring system					
E-8a(7)	Proposed sampling and statistical analysis procedures for groundwater data					
E-8a(8)	Groundwater protection standard exceeded at compliance point monitoring well					
E-9	Corrective action program	<del></del>	<del></del>	<del></del>		
E-9a	Characterization of contaminated groundwater					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
E-9b	Concentration limits					
E-9c	Alternate concentration limits					
E-9c(1)	Adverse effects on groundwater quality					
E-9c(2)	Potential adverse effects					
E-9d	Corrective action plan					
E-9d(1)	Location					
E-9d(2)	Construction detail					
E-9d(3)	Plans for removing wastes					
E-9d(4)	Treatment technologies					
E-9d(5)	Effectiveness of correction program					
E-9d(6)	Reinjection system					
E-9d(7)	Additional hydro geologic data					
E-9d(8)	Operation and maintenance					
E-9d(9)	Closure and post-closure plans					
E-9e	Groundwater monitoring program					
E-9e(1)	Description of monitoring system					
E-9e(2)	Description of sampling and analysis procedures					
E-9e(3)	Monitoring data and statistical analysis procedures					
E-9e(4)	Reporting requirements					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
F. PROG HAZARDS	CEDURES TO PREVENT					
F-1	Security					
F-1a	Security procedures and equipment					
F-1a(1)	24-hour surveillance system					
F-1a(2)	Barrier and means to control entry					
F-1a(2)(a)	Barrier					
F-1a(2)(b)	Means to control entry					
F-1a(3)	Warning signs					
F-1b	Waiver					
F-1b(1)	Injury to intruder					
F-1b(2)	Violation caused by intruder					
F-2	Inspection schedule					
F-2a	General inspection requirements					
F-2a(1)	Types of problems					
F-2a(2)	Frequency of inspections		·	·		
F-2b	Specific process inspection requirements					
F-2b(1)	Container inspection				<del></del>	
F-2b(2)	Tank system inspection		- <u></u> -		<del></del>	
F-2b(2)(a)	Tank system external corrosion and releases					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
F-2b(2)(b)	Tank system construction materials and surrounding area					
F-2b(2)(c)	Tank system overfilling control equipment					
F-2b(2)(d)	Tank system monitoring and leak detection equipment					
F-2b(2)(e)	Tank system cathodic protection					
F-2b(3)	Waste pile inspection					
F-2b(3)(a)	Run-on and run-off control system					
F-2b(3)(b)	Wind dispersal system					
F-2b(3)(c)	Leachate collection and removal system					
F-2b(4)	Surface impoundment inspection					
F-2b(4)(a)	Condition assessment					
F-2b(4)(a)(1)	Overtopping control system					
F-2b(4)(a)(2)	Impoundment contents					
F-2b(4)(b)	Structural integrity					
F-2b(5)	Incinerator inspection					
F-2b(5)(a)	Incinerator and associated equipment					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
F-2b(5)(b)	Incinerator waste feed cut-off system and associated alarms					
F-2b(6)	Landfill inspection					
F-2b(6)(a)	Run-on and run-off control system					
F-2b(6)(b)	Wind dispersal control system					
F-2b(6)(c)	Leachate collection and removal system					
F-2b(7)	Land treatment facility inspection					
F-2b(7)(a)	Run-on and run-off control system					
F-2b(7)(b)	Wind dispersal control system		<del></del>	<del></del>		
F-2b(8)	Miscellaneous unit inspections		<del></del>	<del></del>		
F-3	Waiver or documentation of preparedness and prevention requirements					
F-3a	Equipment requirements					
F-3a(1)	Internal communications		<del></del>	<del></del>		
F-3a(2)	External communications					
F-3a(3)	Emergency equipment					
F-3a(4)	Water for fire control					
F-3b	Aisle space requirement					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
F-4	Preventive procedures, structures, and equipment					
F-4a	Unloading operations					
F-4b	Run-off					
F-4c	Water supplies			<del></del>		
F-4d	Equipment and power failure	- <u></u>				
F-4e	Personnel protection equipment					
F-5	Prevention of reaction of ignitable, reactive, and incompatible wastes					
F-5a	Precautions to prevent ignition or reaction of ignitable or reactive wastes					
F-5b	General precautions for handling ignitable or reactive waste and mixing of incompatible waste					
F-5c	Management of ignitable or reactive wastes in containers					
F-5d	Management of incompatible wastes in containers					
F-5e	Management of ignitable or reactive wastes in tank systems					
F-5f	Management of incompatible wastes in tanks systems					
F-5g	Management of ignitable or reactive wastes placed in waste piles					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
F-5h	Management of incompatible wastes placed in waste piles					
F-5i	Management of ignitable or reactive wastes place in surface impoundments					
F-5j	Management of incompatible wastes placed in surface impoundments					
F-5k	Management of ignitable or reactive wastes placed in landfills					
F-51	Management of incompatible wastes placed in landfills					
F-5m	Management of ignitable or reactive wastes placed in land treatment units					
F-5n	Management of incompatible wastes placed in land treatment units					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
G. CONTINGEN	CY PLAN					
G-1 Genera	l information					
G-2 Emerg	ency coordinator					
G-3 Impler	nentation					
G-4 Emerg	ency response procedures					
G-4a Notific	ation					
G-4b Identif	ication of hazardous als					
G-4c Assess	ment					
G-4d Contro	l procedures					
	tion of recurrence or spread s, explosions, or releases					
G-4f Storag	e and treatment of released					
G-4g Incom	patible waste					
G-4h Post-er mainte	mergency equipment nance					
G-4i Contai	ner spills and leakage					
G-4j Tank	spills and leakage					
G-4j(1) Stoppi	ng waste addition					
G-4j(2) Remov	ring waste					
G-4j(3) Contai	nment of visible releases					
G-4j(4) Notific	ations, reports					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
G-4j(5)	Provision of secondary containment, repair of closure					
G-4k	Surface impoundment spills and leakage					
G-4k(1)	Emergency repairs					
G-4k(1)(a)	Stopping waste addition	·		·		
G-4k(1)(b)	Containing leaks	<del></del>	<del></del>			
G-4k(1)(c)	Stopping leaks		<del></del>	<del></del>		
G-4k(1)(d)	Preventing catastrophic failure		<del></del>	<del></del>		
G-4k(1)(e)	Emptying the impoundments	<del></del>	<del></del>			
G-4k(2)	Certification					
G-4k(3)	Repairs as a result of sudden drop					
G-4k(3)(a)	Existing portions of surface impoundments					
G-4k(3)(b)	Other portions of surface impoundments					
G-5	Emergency equipment					
G-6	Coordination agreements					
G-7	Evacuation plan					
G-8	Required reports					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
H.	PERSONNEL TRAINING					
H-1	Outline of the training program					
H-1a	Job title/job description					
H-1b	Training content, frequency, and techniques					
H-1c	Training director					
H-1d	Relevance of training to job position					
H-1e	Training for emergency response					
H-2	Implementation of training program					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
I. CLOSU PLANS REQUIREMEN	URE PLANS, POST-CLOSURE AND FINANCIAL NTS					
I-1	Closure plans					
I-1a	Closure performance standard					
I-1b	Partial closure and final closure activities					
I-1c	Maximum waste inventory					
I-1d	Schedule for closure					
I-1d(1)	Time allowed for closure					
I-1d(1)(a)	Extension for closure time					
I-1e	Closure procedures					
I-1e(1)	Inventory removal					
I-1e(2)	Disposal or decontamination of equipment, structures and soils					
I-1e(3)	Closure of disposal units/contingent closures					
I-1e(3)(a)	Disposal impoundments					
I-1e(3)(a)(I)	Elimination of liquids					
I-1e(3)(a)(ii)	Waste stabilization					
I-1e(3)(b)	Cover design					
I-1e(3)(c)	Minimization of liquid migration					
I-1e(3)(d)	Maintenance needs			<del></del>		
I-1e(3)(e)	Drainage and erosion					


		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
I-1e(3)(f)	Settlement and subsidence					
I-1e(3)(g)	Cover permeability					
I-1e(3)(h)	Freeze/thaw effects					
I-1e(4)	Closure of containers					
I-1e(5)	Closure of tanks					
I-1e(6)	Closure of waste piles					
I-1e(7)	Closure of surface impoundments					
I-1e(8)	Closure of incinerators					
I-1e(9)	Closure of landfills					
I-1e(10)	Closure of land treatment facilities					
I-1e(10)(a)	Continuance of treatment					
I-1e(10)(b)	Vegetative cover					
I-1e(11)	Closure of miscellaneous units					
I-2	Post-closure plan/contingent post-closure					
I-2a	Inspection plan	·				
I-2b	Monitoring plan					
I-2c	Maintenance plan					
I-2d	Land treatment					
I-2e	Miscellaneous units	- <u></u>	- <u></u>			
I-2f	Post-closure security					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
I-2g	Post-closure contact					
I-3	Notices required for disposal facilities					
I-3a	Certification of closure					
I-3b	Survey plat					
I-3c	Post-closure certification					
I-3d	Post-closure notices					
I-4	Closure cost estimate					
I-5	Financial assurance mechanism for closure					
I-5a	Closure trust fund					
I-5b	Surety bond					
I-5b(1)	Surety bond guaranteeing payment into a closure trust fund					
I-5b(2)	Surety bond guaranteeing performance of closure					
I-5c	Closure letter of credit					
I-5d	Closure insurance					
I-5e	Financial test and corporate guarantee for closure					
I-5f	Use of multiple financial mechanisms					
I-5g	Use of financial mechanism for multiple facilities					
I-6	Post-closure cost estimate					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
I-7	Financial assurance mechanism for post-closure					
I-7a	Post-closure trust fund					
I-7b	Surety bond					
I-7b(1)	Surety bond guaranteeing payment into a post-closure trust fund					
I-7b(2)	Surety bond guaranteeing performance of post-closure care					
I-7c	Post-closure letter of credit					
I-7d	Post-closure insurance					
I-7e	Financial test and corporate guarantee for post-closure care					
I-7f	Use of multiple financial mechanisms					
I-7g	Use of a financial mechanism for multiple facilities					
I-8	Liability requirements					
I-8a	Coverage for sudden accidental occurrences					
I-8a(1)	Endorsement of certification		- <u></u> -	- <del></del>	<del></del>	
I-8a(2)	Financial test or corporate guarantee for liability coverage					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
I-8a(3)	Use of multiple insurance mechanisms					
I-8b	Coverage for nonsudden accidental occurrences					
I-8b(1)	Endorsement or certification					
I-8b(2)	Financial test or corporate guarantee for liability coverage					
I-8b(3)	Use of multiple insurance mechanisms					
I-8c	Request for variance					
I-9	State mechanisms					
I-9a	Use of state-required mechanism					
I-9b	State assumption of responsibility					

		Complete (Y/N)	Technically Adequate (Y/N)	See Attached Comment	See Attached Exhibit	Location of Information
J.	CORRECTIVE ACTION FOR SOLID WASTE MANAGEMENT UNITS					
J-1	Solid waste management units					
J-1a	Characterize the solid waste management unit					
J-1b	No solid waste management units					
J-2	Releases					
J-2a	Characterize releases			·		
J-2b	No releases			·		
K.	OTHER FEDERAL LAWS		<del></del>			
L.	PART B CERTIFICATION					



## **Appendix III**

**Base RCRA and Mixed Waste Authorization Status of States** 



#### **APPENDIX III**

## BASE RCRA AND MIXED WASTE AUTHORIZATION STATUS

#### **Base RCRA Authorization Status**

#### States with Base RCRA Authorization

As of December 31, 1996, the following States had authorization to administer and enforce the base RCRA Subtitle C program (i.e., pre-Hazardous and Solid Waste Amendments (HSWA)) within their borders entirely in lieu of the Federal Program (referred to as "Base RCRA Authorization"):

Alabama Nebraska Arizona Nevada

Arkansas New Hampshire
California New Jersey
Colorado New Mexico
Connecticut New York
Delaware North Carolina
Florida North Dakota

Georgia Ohio
Idaho Oklahoma
Illinois Oregon
Indiana Pennsylvania
Kansas Rhode Island
Kentucky South Carolina
Louisiana South Dakota
Maine Tennessee

Maine Tennessee
Maryland Texas
Massachusetts Utah
Michigan Vermont
Minnesota Virginia
Mississippi Washington
Missouri West Virginia
Montana Wisconsin

Wyoming

#### Non-State Entities with Base RCRA Authorization

As of December 31, 1996, the following non-State entities had Base RCRA Authorization:

District of Columbia Guam

#### States and Non-State Entities without Base RCRA Authorization

As of December 31, 1996, the following States and non-State entities did not have Base RCRA Authorization:

Alaska Northern Mariana Islands

Hawaii Puerto Rico Iowa Virgin Islands

American Samoa

#### **Mixed Waste Authorization Status**

#### States with Mixed Waste Authorization

As of December 31, 1996, the following States had received RCRA authorization to regulate mixed wastes within their borders:

Alabama Montana Arizona Nebraska Arkansas Nevada

California New Hampshire
Colorado New Mexico
Connecticut New York

Delaware North Carolina Florida North Dakota

Georgia Ohio

Idaho Oklahoma Illinois Oregon

Indiana South Carolina
Kansas South Dakota
Kentucky Tennessee

Louisiana Texas
Michigan Utah
Minnesota Vermont
Mississippi Washington
Missouri Wisconsin

Wyoming

#### Non-State Entities with Mixed Waste Authorization

As of December 31, 1996, the following non-State entities had received RCRA authorization to regulate mixed wastes within their borders in lieu of the Federal Program:

Guam

## <u>States and Non-State Entities with Base RCRA Authorization, but without Mixed Waste Authorization</u>

As of December 31, 1996, the following States and non-State entities had received Base RCRA Authorization, but had not received mixed waste authorization. In these States and non-State entities, mixed waste is regulated only pursuant to State laws and regulations, if any. Those entities marked with an asterisk have adopted, and are implementing under State law, mixed waste regulatory programs which are substantially similar to the Federal Program. However, these States have not yet received RCRA authorization to implement such programs in lieu of the Federal Program. Entities not marked with an asterisk may also have mixed waste regulatory programs under state law, but if so, EPA's data base does not include such information.

Pennsylvania Rhode Island

\*West Virginia

\*Virginia

Maine
Maryland
\*Massachusetts
\*New Jersey

District of Columbia

#### References


U.S. Environmental Protection Agency, Federal, State and Tribal Programs Branch, State Authorization Tracking System (StATS) (December 31,1996) (via telephone conference with RCRA/CERCLA Hotline (703/412-9810), March 17, 1997).

[This Page Intentionally Blank]

### **Appendix IV**

# RCRA §3010 Notification of Regulated Waste Activity Form (EPA Form 8700-12)

NOTE: EPA Form 8700-12 was re-approved by the Office of Management and Budget (OMB) on October 9, 1996 with a new expiration date of October 31, 1999. DOE personnel responsible for RCRA permitting should contact the responsible agency (i.e., EPA or the designated State agency) for an official version of the RCRA §3010 Notification of Regulated Waste Activity Form.



Please refer to the Instructions for Filing Notification before completing this form. The information requested here is required by law (Section 3010 of the Resource Conservation and Recovery Act).

## **EPA**

# Notification of Regulated Waste Activity

Date Received (For Official Use Only)

United States Environmental Protection Agency

												, ,		<u> </u>			
l. Installation	ı's EPA II	) Numb	er (Ma	ark 'X' in	the appro	opriate b	ox)										
A. Fir	st Notifica	ition			ubsequent Complete it		tion			C.	Ins	stallation	i's EP	A ID N	lumber		
II. Name of I	nstallatio	n (Inclu	de con	npany a	nd specifi	c site na	me)										
<del> </del>						_				200000000000		000000000000000000000000000000000000000	0.0000000000000000000000000000000000000				
III. Location	of Install	ation (/	<sup>&gt;</sup> hysica	al addre	ss not P.C	D. Box or	r Route	9 Numb	er)								
Street						·											·····
		<u> </u>		<del></del> _													<del></del>
Street (Cont.	nued) 	<del></del>															
011 - 67		· · · · · · · · · · · · · · · · · · ·									_				·		
City of Town										Stat	e	Zip C	ode				
County Code	County	Name															<u> </u>
IV. Installati	on Mailin	a Addr	ess (S	ee Instr	uctions)				_								
Street or P.C					400,0170)												
Street of 1 .c	7. BOX									<del></del> .							
City or Town										State		Zip C	ode	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		······································	·
																	<u>.                                    </u>
V. Installatio	on Contac	t (Pers	on to £	e conta	acted rega	rding wa	iste ac	tivities	at site	) )							
Name (Last)							1	(First									
Job Title								Phone	Num	ber (A	rea	Code a	and N	ımber)			
VI. Installati	on Conta	ct Add	ress (	See Inst	tructions)												
A. Contract A Location Maili		B. Str	reet or	P.O. Bo	×												
City or Town	l									Stat	е	Zip C	ode				
										<u> </u>							
VII. Ownersh	ip (See li	nstructio	ns)														
A. Name of I	nstallation	's Lega	l Owne	er													
Street, P.O. B	Box, of Ro	ute Nur	nber														
		<del></del>										·		<u>-</u> -			
City or Town										Stat	:e —	Zip Co	de		· · · · · · · · · · · · · · · · · · ·		
: 						B. Land	Type	C. O	wner Ty	pe T		). Change	of Owr	er		Date Chan	ced)
Phone Numb	er (Area (	Code an	d Num	ber)		}	7			ì	Yes	Indic	ator	No	Month	Day	Year
								1		- !	. 03			. 10		l	i

ID -	For	Offic	iall	Ise	Only

VIII. Type of Regulated Waste Activity (Mark 'X' in the appropriate boxes; Refer to instri	ıctions)
A. Hazardous Waste Activity	B. Used Oil Recycling Activities
1. Generator (See instructions)  a. Greater than 1000kg/mo (2,200 lbs.) b. 100 to 1000 kg/mo (200-2,200 lbs.) c. Less than 100 kg/mo (220 lbs) 2. Transporter (Indicate Mode in boxes 1-5 below)  a. For own waste only b. For commercial purposes  Mode of Transportation  1. Air 2. Rail 3. Highway 4. Water 5. Other - specify  Treater, Storer, Disposer (at installation) Note: A permit is required for this activity; see instructions.  4. Hazardous Waste Fuel a. Generator Marketing to Burner b. Other Marketers c. Boiler and/or Industrial Furnace 1. Smelter Deferral 2. Small Quantity Exemption Indicate Type of Combustion Device(s) 1. Utility Boiler 2. Industrial Boiler 3. Industrial Furnace Underground Injection Control	1. Used Oil Fuel Marketer  a. Marketer Directs Shipment of Used Oil to Off-Specification Burner  b. Marketer Who First Claims the Used Oil Meets the Specifications  2. Used Oil Burner - Indicate Type(s) of Combustion Device(s)  a. Utility Boiler  b. Industrial Boiler  c. Industrial Furnace  3. Used Oil Transporter - Indicate Type(s) of Activity(ies)  a. Transporter  b. Transfer Facility  4. Used Oil Processor/Re-refiner - Indicate Type(s) of Activity(ies)  a. Process  b. Re-refine
IX. Description of Hazardous Wastes (Use additional sheets if necessary)	
A. Characteristics of Nonlisted Hazardous Wastes. (Mark 'X' in the boxes corresponding hazardous wastes your installation handles; See 40 CFR Parts 261.20 - 261.24)	to the characteristics of nonlisted
1. Ignitable 2. Corrosive 3. Reactive 4. Toxicity (D001) (D002) (D003) Characteristic (List specific EPA hazardous waste n	umber(s) for the Toxicity characteristic contaminant(s))
B. Listed Hazardous Wastes. (See 40 CFR 261.31 - 33; See instructions if you need to list	t more than 12 waste codes.)
1     2       7     8       9     10	5 6 11 12
C. Other Wastes. (State or other wastes requiring a handler to have an I.D. number; See	instructions.)
1 2 3 4	5 6
X. Certification	
I certify under penalty of law that this document and all attachments were prepared under my direction of assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquit those persons directly responsible for gathering the information, the information submitted is, to the best of I am aware that there are significant penalties for submitting false information, including the possibility of Signature  Name and Official Title (Type or print)	ry of the person or persons who manage the system, or my knowledge and belief, true, accurate, and complete.
XI. Comments	
Note: Mail completed form to the appropriate EPA Regional or State Office. (See Section	III of the booklet for addresses.)

ID - For Official Use Only

GSA No. 0246-EPA-OT

## IX. Description of Regulated Wastes (Additional Sheet)

13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61	62	63	64	65	66
67	68	69	70	71	72
73	74	75	76	77	78
79	80	81	82	83	84
85	86	87	88	89	90
91	92	93	94	95	96
97	98	99	100	101	102
103	104	105	106	107	108
109	110	111	112	113	114
115	116	117	118	119	120

